

R023X

MANAGEMENT COAT

R023X FABRIC

WATERPROOF 1600mm, WINDPROOF

OUTER: 190T Polyester StormDri with PVC coating

FILLING: 140g/m² Polyester

LINING: 190T diamond quilted Polyester

Concealed hood in collar
with drawcord adjuster

1 inside pocket

Taped seams

50mm sewn
on safety tapes

Full front
zip fastening

Stud closing
storm flap

2 spacious
front pockets


BLACK
(BLK)

NAVY
(288)



StormDri

1. Outer fabric
2. Waterproof
3. Windproof
4. Coated backing



TO FIT	S	M	L	XL	2XL	3XL
R023X UK	38	41	44	47	50	53
EURO	48	50	54	56	60	64



TRANSFER



EMBROIDERY

CASE: 10 PACK: 5
DECORATION ACCESS:
Inner back hem zip



IMPERMEABLE 1600mm,
COUPE-VENT

- 1 poche intérieure
- Coutures thermocollées
- 2 grandes poches avant
- Rabat de protection fermé par boutons pression
- Fermeture zippée à l'avant
- Bandes de sécurité de 50mm piquées
- Capuche escamotable dans le col avec cordon de réglage

Points d'accès : Fermeture zippée
intérieure dans l'ourlet du dos

WASSERDICHT
1600mm, WINDDICHT

- 1 Innentasche
- versiegelte Nähte
- 2 geräumige Vordertaschen
- Windbremse mit Druckknöpfen
- Durchgehender Reißverschluss an der Vorderseite
- 50mm breite, aufgenähte Sicherheitsbänder
- verdeckte Kapuze im Kragen mit verstellbarem Kordelzug

Veredelungszugang: Zugang am
Saum innen

11

SAFETY, FUNCTIONALITY
AND GREAT WEATHER-PROOF
PROTECTION



Date: 17 Sept 2003

R023X - MANAGEMENT COAT



Measures in CMS								
TO FIT APPROX CHEST SIZE	SIZE	S	M	L	XL	2XL	3XL	TOL +/-
	UK	38	41	44	47	50	53	
	EURO	48	50	54	56	60	64	
A	1/2 CHEST AT UNDERARM - LAY JACKET OUT FLAT	61	65	69	72	76	80	1
B	BACK LENGTH	92	92	92	92	92	92	1
C	SHOULDER / SLEEVE LENGTH (TAKEN FROM SIDE NECK SEAM)	79	81	84	85	86	87	1



Date: 17 Sept 2003

R023X - MANAGEMENT COAT



Measures in CMS								
TO FIT APPROX CHEST SIZE	SIZE	S	M	L	XL	2XL	3XL	TOL +/-
	UK	38	41	44	47	50	53	
	EURO	48	50	54	56	60	64	
A	1/2 CHEST AT UNDERARM - LAY JACKET OUT FLAT	61	65	69	72	76	80	1
B	BACK LENGTH	92	92	92	92	92	92	1
C	SHOULDER / SLEEVE LENGTH (TAKEN FROM SIDE NECK SEAM)	79	81	84	85	86	87	1

